

# lexicon

# PCM 80 Dual FX Presets

The 250 Dual FX presets are organized in 5 Banks (X0-X4) of 50 presets/Bank (numbered 0.0 – 4.9). Press **Program Banks** repeatedly to cycle through the Banks. Turn **SELECT** to view the presets in the selected Bank. Press **Load/\*** to load any displayed preset. Each preset has one or more parameters patched to the front panel **ADJUST** knob. This gives you instant access to some of the most interesting aspects of the effect. In addition, all of the presets marked with a **T** can be synchronized to tempo. To set the tempo, press the front panel **Tap** button twice in time with the beat. (Tempo can also be dialed in as a parameter value, or it can be determined by MIDI Clock.) Be sure to try these effects synchronized with MIDI sequence and drum patterns. Full descriptions of each preset are available in the Dual FX User Guide.

## Program Bank X0

### Stereo

Presets 0.0-0.2 provide different room treatments for multiple guitar tracks in a mix.

**0.0 Solo Room** ADJUST: **Far Mics** 0–24  
Simulates one near mike (panned to the center) and two far mikes (panned full left and right) in a medium sized room. Master Delay sets the distance to the far mikes, FX Width sets the width of the stereo spread.

**0.1 Left Room** ADJUST: **Right Mic** 0–24  
A 2-mike version of Solo Room. A near mike is panned full left, a far mike full right.

**0.2 Right Room** ADJUST: **Left Mic** 0–24  
Similar to Left Room, but the stereo image is reversed.

**0.3 Organ Room** ADJUST: **Slow/Fast** 0–1  
A rotary cabinet in a medium sized room, both miked in stereo. An absolute must for organ, don't overlook this for guitars, and even vocals.

**0.4 Phat Roads 1** ADJUST: **Depth** 1–127  
Detune, satellite tremolo and stereo reverb combined for a classic electric piano sound. For maximum effect, don't mix any dry signal with this program. T

**0.5 Phat Roads 2** ADJUST: **Depth** 1–127  
A tasty variation with the reverb placed in front of the tremolo and detune. Running the reverb through the effects makes the satellite tremolo even more dramatic. T

**0.6 Phat Roads 3** ADJUST: **Depth** 1–127  
A light touch of triplet echoes is added to the reverb in front of the tremolo and detune. Echoes and tremolo are tempo-controlled. Echo rhythm patterns are set by EkoDly L and R. Echo levels are set with EkoFbk L and R. T

**0.7 StereoTunnel** ADJUST: **Depth** 1–100  
A versatile special effect ambience. At low settings this space is open and airy, at higher settings it grows dark and ominous.

**0.8 Is this on?** ADJUST: **PA spread** 0–127  
"Testing...1, 2, 3..." A PA ambience effect. ADJUST controls the size from a small auditorium to a major outdoor event.

**0.9 ..AndTheGods** ADJUST: **Fall/Rise** 0–1  
Inspired by the first track of Electric Ladyland. Hit it with a percussive sound (gun shot, tympani, snare) then click ADJUST from 0 to 1. A wall of thunder crashes down 4 octaves and undulates rhythmically between the speakers. Hit it again with a similar sound, and click ADJUST from 1 to 0. Now, the explosions rocket up into space.

Presets 1.0-1.9 allow multiple layers of reverb to be added to percussion and drum tracks without cluttering up the mix, or they can be used to fine tune the reverberant quality of accent percussion. A stereo reverb is routed through a stereo 24dB/octave filter (low, high, or bandpass) with 1 of 5 different types of reverbs (each tuned for different percussion instruments). Mono source versions are located in Bank X2 3.1-4.0.

**1.0 Mix>Perc>BP** ADJUST: **Band** 0–127  
A stereo chamber optimized for percussion submix, followed by a 24dB/octave bandpass filter.

**1.1 Mix>Snare>LP** ADJUST: **Hi Cut** 0–127  
A stereo chamber optimized for snare drum, followed by a 24dB/octave lowpass filter.

**1.2 Mix>Snare>HP** ADJUST: **Lo Cut** 0–127  
The complement of Mix>Snare>LP with the snare chamber followed by a 24dB/octave highpass filter.

**1.3 Mix>Drum>LP** ADJUST: **Hi Cut** 0–127  
A stereo chamber optimized for drum submix, followed by a 24dB/octave lowpass filter.

**1.4 Mix>Drum>HP** ADJUST: **Lo Cut** 0–127  
The complement of Mix>Drum>LP with the drum chamber followed by a 24dB/octave highpass filter.

**1.5 Mix>Drum>BP** ADJUST: **Band** 0–127  
A variation of Mix>Drum>LP and HP with the drum chamber followed by a 24dB/octave bandpass filter.

**1.6 Mix>Kick>LP** ADJUST: **Hi Cut** 0–127  
A stereo chamber optimized for kick drum, followed by a 24dB/octave lowpass filter.

**1.7 Mix>Kick>HP** ADJUST: **Lo Cut** 0–127  
The complement of Mix>Kick>LP with the kick chamber followed by a 24dB/octave highpass filter.

**1.8 Mix>Gate>LP** ADJUST: **Hi Cut** 0–100  
Gated reverb in series with a 24dB/octave lowpass filter.

**1.9 Mix>Gate>BP** ADJUST: **Center** 0–100  
Gated reverb in series with a 24dB/octave bandpass filter.

**2.0 Mix>Car Park** ADJUST: **Spooky** 0–127  
A large concrete parking garage. ADJUST makes the ambience increasingly ominous. At the highest settings, an eerie ringing rises up and rings out.

Presets 2.1-2.7 combine one of 3 basic reverberant spaces with a low, high, or bandpass 24dB/octave filter. Amb1 is a highly colored room with short decay. Amb2 is more transparent with moderate decay. Amb3 is a tight space with prominent reflections. ADJUST controls the filters, allowing you to quickly tailor the sound to create different wall coverings, open and closed doors, telephones, radios, distance of the source, etc.

**2.1 Mix>Amb1>LP** ADJUST: **Hi Cut** 0–127  
Amb1 followed by 24dB/octave lowpass filter.

**2.2 Mix>Amb1>HP** ADJUST: **Lo Cut** 0–127  
Amb1 followed by 24dB/octave highpass filter.

**2.3 Mix>Amb1>BP** ADJUST: **Band** 0–127  
Amb1 followed by 24dB/octave bandpass filter.

**2.4 Mix>Amb2>LP** ADJUST: **Hi Cut** 0–127  
Amb2 followed by 24dB/octave lowpass filter.

**2.5 Mix>Amb2>HP** ADJUST: **Lo Cut** 0–127  
Amb2 followed by 24dB/octave highpass filter.

**2.6 Mix>Amb3>LP** ADJUST: **Hi Cut** 0–127  
Amb3 followed by 24dB/octave lowpass filter.

**2.7 Mix>Amb3>HP** ADJUST: **Lo Cut** 0–127  
Amb3 followed by 24dB/octave highpass filter.

**2.8 StereoFutz 1** ADJUST: **Tone** 0–127  
Highly colored ambience that can produce TV rooms, sounds coming from around the corner, down the hall, etc.

**2.9 StereoFutz 2** ADJUST: **Tone** 0–127  
Similar to StereoFutz1, but with a more prominent decay.

**3.0 Outdoor** ADJUST: **Tails** 0–32  
A simple outdoor ambience with some early reflections.

**3.1 OutdoorWall** ADJUST: **Distance** 0–100  
An outdoor ambience with a reflecting wall 100 yards away. ADJUST changes the apparent distance of the wall.

**3.2 ips TapeSlap** ADJUST: **TapeSpeed** 1–4  
Emulates the delay time and high frequency rolloff of an analog 2-track at different playback rates.

**3.3 15ips Echo** ADJUST: **Feedback** 0–100  
Stereo 15ips tape echo simulation. Listen to the sound change as it repeats.

**3.4 7.5ipsEkoRvb** ADJUST: **Feedback** 0–100  
Stereo plate reverb fed by a 7.5ips tape echo simulation. Listen to the sound change as it repeats.

**3.5 V SpeedEko1** ADJUST: **TapeSpeed** 0–100  
A stereo tape delay with varispeed. The delay times are matched to an analog 2-track: 0=30ips, 25=15ips, 50=7.5ips, 100=3.75ips.

**3.6 V SpeedEko2** ADJUST: **TapeSpeed** 0–100  
A variation where the tape echoes also serve as predelay for a plate reverb.

**3.7 V SpeedEko3** ADJUST: **TapeSpeed** 0–100  
A variation with the delay in series with the plate reverb. Only the reverb is heard at the outputs.

**3.8 Eko Spills 1** ADJUST: **Depth** 1–100  
Echoes that drop in pitch as the input signal fades. The left input signal drives the detune effect. Try this with percussion accents, or as a special effect with vocals or other material.

**3.9 Eko Spills 2** ADJUST: **Feedback** 1–100  
A dramatic variation where the pitch drops over a larger range in a shorter period of time.

**4.0 X-RhythmEko1** ADJUST: **X-Mix** 0–100  
ADJUST mixes the cross-feedback of quarter-note (0) and triplet (100) echoes. Intermediate values create patterns that change from quarter-notes to triplets for a shuffle feel. A stereo chamber is in parallel with the echo effect. T

**4.1 X-RhythmEko2** ADJUST: **X-Mix** 0–100  
A variation with the rhythm changing from quarter-notes to sixteenths. T

**4.2 X-RhythmEko3** ADJUST: **X-Mix** 0–100  
A variation that combines 5 and 7 against 1. It takes several beats for this pattern to play out. T

**4.3 X-RhythmEko4** ADJUST: **R-Speed** 0–100  
A 2 against 3 cross-rhythm pattern. ADJUST allows control of the overall speed of the pattern. T

**4.4 X-RhythmEko5** ADJUST: **Rvb Mix** 0–100  
A stereo chamber in series with the cross-rhythm echo effect. The reverb is in front of the echoes. T

**4.5 SlipTheEkos1** ADJUST: **Back Beat** 0–100  
Similar to SlipTheBeat1 (4.8) with feedback turned up to create a series of rhythmic repeats. Delays are set for a 3 against 2 pattern that alternates between left and right, and is routed through a stereo drum chamber.

**4.6 SlipTheEkos2** ADJUST: **Back Beat** 0–100  
A variation with more dramatic delay settings and with reverb in parallel to provide some extra punch on the initial attack. T

**4.7 SlipTheEkos3** ADJUST: **Back Beat** 0–100  
A variation with delays set to produce a rolling triplet pattern that cycles from side to side. T

**4.8 SlipTheBeat1** ADJUST: **Back Beat** 0–100  
Left and right inputs are combined, sent into a slap delay, then through a stereo chamber. Use this to slide a snare (or other rhythm instrument) behind the beat. You can mix this delayed signal with the original source to fatten it up, or use it without the original if you want to change the groove by having the snare lay back. T

**4.9 SlipTheBeat2** ADJUST: **Back Beat** 0–100  
A variation with the drum chamber in front of the slap to fatten up the sound. T

## Program Bank X1

### Stereo

- 0.0 KnobLocation** ADJUST: **Width** 0–90  
Steers a stereo source between the center, side and rear channels of an LCRS mix. No processing other than steering is applied. ADJUST determines LCRS placement: 0=center only, 45=left and right, 90=surround. *Not mono compatible.*
- 0.1 KnobPanSwap** ADJUST: **Width** 0–90  
Swap the left/right panning of a stereo source. ADJUST determines the width of stereo source material as follows: 0=left/right swap, 45=mono, 90=normal stereo.
- 0.2 AutoPanSwap** ADJUST: **PanSpeed** 0–90  
A variation of KnobPanSwap with the LFO controlling stereo width. Chorus and echoes can be added.
- 0.3 ips PlateSlap** ADJUST: **TapeSpeed** 1–4  
The ips TapeSlap program used as a predelay for a plate reverb. ADJUST sets the tape speed: 1=30ips, 2=15ips, 3=7.5ips, 4=3.75ips.
- 0.4 15ips Plate** ADJUST: **Rvb Mix** 0–100  
Plate reverb with a stereo 15ips predelay. The predelay has a slight amount of feedback.
- 0.5 4PoleRvb BP** ADJUST: **Center** 0–127  
A large chamber reverb feeding into a stereo, 24dB/octave bandpass filter. Use this to focus the reverb around a tight tonal area. Try it with different percussion instruments.
- 0.6 4PoleRvb HP** ADJUST: **LoCut** 0–127  
A large chamber reverb feeding into a stereo, 24dB/octave highpass filter. Use this to put reverb on only the upper frequency portion of a stereo source or mix.
- 0.7 4PoleRvb LP** ADJUST: **HiCut** 0–127  
A large chamber reverb feeding into a stereo, 24dB/octave lowpass filter. Use this to put reverb on only the lower frequency portion of a stereo source or mix. Also great for simulating backstage ambient effects.
- 0.8 Chorus>Rvb 1** ADJUST: **Rvb Mix** 0–100  
Stereo chorus into stereo hall reverb. T
- 0.9 Chorus>Rvb 2** ADJUST: **Rvb Mix** 0–100  
A variation with eighth-note delays added. T
- 1.0 Rvb>Chorus 1** ADJUST: **Rvb Mix** 0–100  
The reverse of Chorus>Rvb 2 with the reverb fed into a stereo chorus. Note the chorus effect on the reverb tail. T
- 1.1 Auto Pan Rvb** ADJUST: **Hi Cut** 0–100  
The output of a medium chamber panned across a stereo lowpass filter.
- 1.2 Knob Pan Rvb** ADJUST: **Pan** 0–100  
In this variation, use ADJUST to pan the reverb image to any location: 0=left, 100=right.
- 1.3 FilterPanner** ADJUST: **PanWidth** 0–100  
A panning effect based on filter frequency. The high-cut frequencies of the left and right channels are swept 90° out-of-phase to produce apparent left-right motion in the audio. T
- 1.4 EQ'd Rvb HP1** ADJUST: **Sizzle** 0–127  
A stereo chamber reverb followed by a stereo highpass filter.
- 1.5 EQ'd Rvb HP2** ADJUST: **Sizzle** 0–127  
A variation with a more resonant highpass filter.
- 1.6 EQ'd Rvb LP** ADJUST: **Boom** 0–127  
A stereo chamber reverb followed by a stereo lowpass filter. The filter is resonant, like EQ'd Rvb HP2.
- 1.7 EQ'd Rvb BP** ADJUST: **Band** 0–127  
A stereo chamber reverb followed by a stereo bandpass filter.
- 1.8 EQ'd RvbSlap** ADJUST: **Slap** 0–127  
Reverb fed into a pair of bandpass filtered delays.
- 1.9 EQ'd RvbEnv1** ADJUST: **HiRelease** 0–100  
A lowpass filter is wide open when signal is present. When input stops, the AR release sweeps the filter. Low release values produce filter/gated reverb effects. (Try these with percussion.) Higher values produce a noticeable darkening of the reverb tail as it decays. T

- 2.0 EQ'd RvbEnv2** ADJUST: **LoRelease** 0–100  
Reverb followed by a highpass filter swept from high to low, producing a dramatic effect when the input drops. T
- 2.1 EQ'd RvbEnv3** ADJUST: **HiRelease** 0–100  
Reverb followed by a lowpass filter swept from high to low, then back to high. The reverb is swept twice — once when the input goes above the threshold, again when it falls below it. T
- 2.2 EQ'd RvbEnv4** ADJUST: **LoRelease** 0–100  
A variation on EQ'd RvbEnv2 with reverb followed by a highpass filter swept from low to high. T
- 2.3 Wah Verb** ADJUST: **Depth** 0–100  
4-Pole Wah. The reverb output is fed into the wah filter, which is swept by a tempo-controlled LFO. T
- 2.4 Wah Verb Eko** ADJUST: **Feedback** 0–100  
Wah filter, reverb and eighth-note echoes combine to produce surging timbre changes. The wah rate is tempo-controlled. T
- 2.5 Wah Eko Verb** ADJUST: **Feedback** 0–100  
A variant of Wah Verb Eko with the routing reversed. T
- 2.6 Weird EkoRvb** ADJUST: **Feedback** 0–100  
Reverb and dry signal mixed and fed into a tape echo with some radical EQ, giving the decay a spacey, ringing quality. A classic analog sci-fi effect —“Danger, Will Robinson!”
- 2.7 Echo Rise 1** ADJUST: **RiseTime** 1–100  
Tape echo with automatic control of varispeed. The AR envelope changes the varispeed when input signal stops, producing echoes that rise in pitch at the end of a phrase.
- 2.8 Echo Rise 2** ADJUST: **RiseTime** 1–100  
The varispeed echo flanger with a twist. The AR envelope changes the varispeed when input signal stops. This produces flanged echoes that rise in pitch at the end of a phrase.
- 2.9 Echo Rise 3** ADJUST: **Feedback** 1–100  
A variation with the varispeed range set to produce about an octave of pitch modulation.
- 3.0 Echo Rise 4** ADJUST: **Depth** 1–100  
A variation with more reverb. ADJUST controls the range of the varispeed change.
- 3.1 Rvb Eko Rise** ADJUST: **RiseTime** 1–100  
The output of a stereo plate is sent to the varispeed echo flanger. The varispeed is changed by the AR envelope when the input signal stops.
- 3.2 EQ'd Eko LP** ADJUST: **Dark Knob** 0–127  
Echoes are fed into a stereo lowpass filter. Placing the EQ after the delays provides non-destructive tone control of the echo repeats. T
- 3.3 EQ'd Eko HP** ADJUST: **Sizzle** 0–127  
A variation with the post echo EQ a highpass filter. T
- 3.4 EQ'd EkoEnv1** ADJUST: **HiRelease** 0–100  
Lowpass frequency filter is wide open when signal is present. When input stops, the AR release sweeps the filter. T
- 3.5 EQ'd EkoEnv2** ADJUST: **LoRelease** 0–100  
A variation with a highpass filter swept by the AR. T
- 3.6 EQ'd EkoEnv3** ADJUST: **LoRelease** 0–100  
An echo effect that builds over time. Echoes are fed into a highpass filter, which is swept from high to low when input signal stops. At the completion of the sweep the last repetition of the echo delay is routed through the reverb — like an exclamation point at the end of a sentence! T
- 3.7 StereoTapEko** ADJUST: **Feedback** 0–100  
Quick and easy stereo echo. Tap sets the echo rhythm. T
- 3.8 Flange>Rvb** ADJUST: **Rvb Mix** 0–100  
Stereo flanger into stereo hall reverb. T
- 3.9 Rvb>Flange** ADJUST: **Rvb Mix** 0–100  
The reverse of Flange>Rvb 1. The reverb output is routed into a stereo chorus. Note the flange effect on the reverb tail. T
- 4.0 LFO Flange** ADJUST: **Depth** 0–100  
The LFO sweeps the flanger and ADJUST controls the sweep depth. A small chamber is inserted before the flanger to accentuate the effect. T

- 4.1 Tape Flange1** ADJUST: **ReelBrake** 0–100  
Simulates the original method of combining the outputs of two analog tape decks and using your thumb as a brake on one of the tape reels. Run a mix through it! Turn Master Fbk down for a less pronounced effect, or up for an even juicier sound.
- 4.2 Tape Flange2** ADJUST: **ReelBrake** 0–100  
A variation with opposing left and right flange sweeps. Adds a spatial dimension to the classic effect.
- 4.3 Rvb>T Flange** ADJUST: **ReelBrake** 0–100  
The characteristic “over the top” sweep of tape flanging is emphasized by inserting a plate reverb in front of the flanger.
- 4.4 T Flange>Eko** ADJUST: **ReelBrake** 0–100  
A stereo delay follows the tape flanger. The left delay produces an eighth-note pattern, the right produces a triplet pattern. T
- 4.5 VS EkoFlange** ADJUST: **TapeSpeed** 0–100  
Varispeed echo with flanging. A very analog-sounding stereo effect. The delay times are matched to an analog 2-track: 0=30ips, 25=15ips, 50=7.5ips, 100=3.75ips.
- 4.6 Aerosol:Wet** ADJUST: **Low Depth** 0–100  
An extreme flanger with audio passed through a medium plate reverb, then into the flanger. Turn ADJUST to 0 while running audio, wait a few seconds, then start cranking it toward 100. T
- 4.7 Aerosol:Dry** ADJUST: **Low Depth** 0–100  
The Aerosol flanger totally dry. T
- 4.8 Aerosol:Mix** ADJUST: **Rvb Mix** 0–100  
The Aerosol flanger feeding a medium plate reverb. T
- 4.9 Phat Detune** ADJUST: **Depth** 1–100  
A rich stereo detune. Perfect for fattening up stereo sources. The output of the detune is routed into a reverb. The reverb mix is set to 0% Wet in the program, but can be altered to taste.

## Program Bank X2

### Stereo

- 0.0 4PoleEQ LP** ADJUST: **Hi Cut** 0–127  
A stereo, 24dB/octave lowpass filter. Master Delay and Master Fbk add stereo echo effects. Don't mix with dry signal.
- 0.1 4PoleEQ HP** ADJUST: **Lo Cut** 0–127  
A stereo, 24dB/octave highpass filter. Master Delay and Master Fbk add stereo echo effects. Don't mix with dry signal.
- 0.2 4PoleEQ BP** ADJUST: **Center** 0–127  
A stereo, 24dB/octave bandpass filter. Master Delay and Master Fbk add stereo echo effects. Don't mix with dry signal.
- 0.3 4PoleKnobWah** ADJUST: **Center** 0–127  
The stereo, 24dB/octave bandpass filter set up like a wah pedal.
- 0.4 4PoleLFOwah** ADJUST: **Depth** 0–100  
A variation of the 4 Pole Wah with a tempo-controlled LFO sweeping the wah automatically. T
- 0.5 Weird!** ADJUST: **Feedback** 0–100  
Another sci-fi echo effect. Left and right EQs are swept independently by input envelopes. The color of the sound changes as the repeats die away.
- 0.6 Weirder!** ADJUST: **Feedback** 0–100  
A variation where the EQ sweeps produce a more eerie decay.
- 0.7 Weirdest!** ADJUST: **Feedback** 0–100  
A variation where the EQs sweep upward as they fade away.
- 0.8 Phased Fbk** ADJUST: **Feedback** 0–100  
Out-of-phase right channel delay feedback in this filtered eighth-note echo produces a subtle side-to-side spaciousness as the echoes fade away. T
- 0.9 KnobFlange 1** ADJUST: **Notch** 0–100  
ADJUST provides manual tuning of a flanger. Flanging is applied in opposing amounts to each channel.
- 1.0 KnobFlange 2** ADJUST: **Notch** 0–100  
A variation with flanging the same in each channel. T
- 1.1 KnobFlange 3** ADJUST: **Notch** 0–100  
A small stereo chamber is fed into a manual flanger. The presence of short reverb tails brings out the flanging effect, especially with percussion. T

**1.2 Envelo Hall** ADJUST: Release 0-127  
Medium size Concert Hall fed into Multi Band filters with HiCut driven by Env L & R. Try it on electric and acoustic piano. T

**1.3 Flange>Ghost** ADJUST: Depth 0-100  
A stereo flanger feeding into the reverse reverb effect. Great for special effects — with surprisingly musical applications.

**1.4 Ghost>Flange** ADJUST: Depth 0-100  
Like Flange>Ghost with the reverb feeding into the flanger. Big, wide and spooky!

**1.5 Bass Tone** ADJUST: Pitch 0-12  
Low frequency burst when triggered by input signal. Best when triggered by a drum sample. T

**1.6 Gate>Gate** ADJUST: Shape 0-127  
Gated Multi Band feeding a gated reverb. T

**1.7 Gate on 1 & 3** ADJUST: Shape 0-127  
Multi Band voices turned on and off every two beats, followed by a 350ms gated reverb. Let audio flow through the voices on beats 1 & 3 by pressing Tap once on the downbeat. T

**1.8 Symphonic** ADJUST: Swish Lvl 0-100  
Heavily chorused large chamber for creating lush symphonic strings.

**1.9 Spin Cycle** ADJUST: Spin Rate 0-50  
Spins a Concert Hall and the dry signal around a surround system. The two outputs are 180° out-of-phase so, when the dry signal is in front, the Concert Hall is in the rear.

**2.0 Dino Steps** ADJUST: Pitch 0-12  
Meant to emulate large footsteps far off in the distance. Best when used with a drum sample. T

**2.1 Hoo-Ha** ADJUST: LFO Rate 0-50  
Large Concert Hall feeding Glide delays which get more spacious and modulated depending on the input signal.

**2.2 GrossEnctrs** ADJUST: Rvb/FxMix 0-100  
Play a sustaining note and it plays the "Close Encounters" theme in the key of C. T

**2.3 Notches-Chmb** ADJUST: Release 0-100  
Simulates a steel drum from guitar or electric piano signals.

**2.4 Multi FX** ADJUST: Pick One 1-7  
Turn ADJUST to select : 1=Concert Hall; 2=Concert Hall after a Chorus; 3=Concert Hall with post tap tempo delays; 4=Chorus feeding a hall with tap tempo delays; 5=Chorus feeding tap tempo delays; 6=Chorus only; 7=Tap tempo delay only. T

**2.5 FrameDly 24** ADJUST: Frames 0-5  
A utility program that allows stereo audio to be offset by delays calibrated to 24 frames/second.

**2.6 FrameDly 25** ADJUST: Frames 0-5  
Offset stereo audio by delays calibrated to 25 frames/second.

**2.7 FrameDly 30** ADJUST: Frames 0-5  
Offset stereo audio by delays calibrated to 30 frames/second. (This program is also compatible with 29.9 fps.)

**2.8 MikedChamb 1** ADJUST: Far Mics 0-24  
This program simulates near (panned to the center) and far (panned full left and right) mikes in large chamber. Master Delay sets the distance to the far mikes.

**2.9 MikedChamb 2** ADJUST: Far Mics 0-24  
A variation in a larger space with the far mikes positioned farther from the source.

### Mono In/Stereo Out

**3.0 Phone > Room** ADJUST: Room Mix 0-127  
Puts mono sources into a phone filter, which runs into a stereo room ambience.

Presets 3.1-4.0 are mono source versions of the effects in Bank X0 1.0-1.9.

**3.1 Mono>Perc>BP** ADJUST: Band 0-127  
A mono-in, stereo chamber followed by a 24dB/octave bandpass filter. Use this to focus on a frequency area that works in context with the drums.

**3.2 Mono>Snr>LP** ADJUST: Hi Cut 0-127  
A mono-in, stereo chamber optimized for snare drum, followed by a 24dB/octave lowpass filter.

**3.3 Mono>Snr>HP** ADJUST: Lo Cut 0-127  
The complement of Mono>Snare>LP with the snare chamber followed by a 24dB/octave highpass filter.

**3.4 Mono>Drum>LP** ADJUST: Hi Cut 0-127  
A mono-in, stereo chamber followed by a 24dB/octave lowpass filter.

**3.5 Mono>Drum>HP** ADJUST: Lo Cut 0-127  
The complement of Mono>Drum>LP with the drum chamber followed by a 24dB/octave highpass filter.

**3.6 Mono>Drum>BP** ADJUST: Band 0-127  
A useful variation of Mono>Drum>LP and HP with the drum chamber followed by a 24dB/octave bandpass filter.

**3.7 Mono>Kick>LP** ADJUST: Hi Cut 0-127  
A mono-in, stereo chamber optimized for kick drum, followed by a 24dB/octave lowpass filter.

**3.8 Mix>Kick>HP** ADJUST: Lo Cut 0-127  
The complement of Mono>Kick>LP with the kick chamber followed by a 24dB/octave highpass filter.

**3.9 Mono>Gate>LP** ADJUST: Hi Cut 0-100  
Gated reverb in series with a 24dB/octave lowpass filter.

**4.0 Mono>Gate>BP** ADJUST: Center 0-100  
Gated reverb in series with a 24dB/octave bandpass filter.

**4.1 Mono>Tunnel** ADJUST: Depth 1-100  
A special effect stereo ambience for mono sources. At low ADJUST settings this space is open and airy, at higher settings it grows dark and ominous.

**4.2 Mono>CarPark** ADJUST: Spooky 0-127  
Puts mono sources into a large concrete parking garage. ADJUST makes the ambience increasingly ominous. At the highest settings, an eerie ringing rises up and rings out.

Presets 4.3-4.9 combine 1 of 3 basic reverberant spaces (Amb1: a highly colored room with short decay. Amb2: more transparent with a moderate decay. Amb3: a tight space with prominent reflections) with a low, high, or band pass 24 dB/octave filter. ADJUST controls the filters, allowing you to quickly tailor the sound to create different wall coverings, open and closed doors, telephones, radios, etc.

**4.3 Mono>Amb1>LP** ADJUST: Hi Cut 0-127  
Mono-in, Amb1 followed by 24dB/octave lowpass filter.

**4.4 Mono>Amb1>HP** ADJUST: Lo Cut 0-127  
Mono-in, Amb1 followed by 24dB/octave highpass filter.

**4.5 Mono>Amb1>BP** ADJUST: Band 0-127  
Mono-in, Amb1 followed by 24dB/octave bandpass filter.

**4.6 Mono>Amb2>LP** ADJUST: Hi Cut 0-127  
Mono-in, Amb2 followed by 24dB/octave lowpass filter.

**4.7 Mono>Amb2>HP** ADJUST: Lo Cut 0-127  
Mono-in, Amb2 followed by 24dB/octave highpass filter.

**4.8 Mono>Amb3>LP** ADJUST: Hi Cut 0-127  
Mono-in, Amb3 followed by 24dB/octave lowpass filter.

**4.9 Mono>Amb3>HP** ADJUST: Lo Cut 0-127  
Mono-in, Amb3 followed by 24dB/octave highpass filter.

## Program Bank X3

### Dual Mono In/Stereo Out

In presets 0.0-2.9 the left input feeds a Mono In/Stereo Out 4-voice effect, the right input feeds a Mono In/Stereo Out reverb. The stereo outputs of each are mixed at the PCM 80's outputs. These presets provide two independent stereo effects to a mono source, or add stereo processing to two different mono sources. *Not intended to be used with stereo source material.*

**0.0 Trance** ADJUST: Depth 0-100  
The left and right inputs feed independent effects and are gated rhythmically to open gradually over a cycle of several beats. The cycle for each effect is different. ADJUST controls the depth of the input level cycle: 0=no cycle (inputs always open full), 100=-48dB (inputs ramp up and down between full and -48dB.) T

**0.1 DualTapGate1** ADJUST: GateWidth 0-100  
Here, the echoes are opened up once every 4 beats, and the reverb is opened up once every 2 beats. ADJUST controls the time each effect is open with the rhythm cycle: 0=always closed, 50=open for half the cycle, 100=always open. T

**0.2 DualTapGate2** ADJUST: GateWidth 0-100  
A variation with different rhythm and ADJUST settings. T

**0.3 X-Eko + Rvb1** ADJUST: Eko Rate 0-100  
The left input feeds a cross-rhythm echo, the right feeds a stereo chamber. T

**0.4 DuckEko+ Rvb1** ADJUST: Eko X-Fbk 0-100  
The left input feeds a stereo bounce echo, the right feeds a medium chamber. The echo output level is ducked 24dB whenever signal is detected at the right input. Run the same vocal into both inputs — the echoes will fade up to punctuate the end of phrases. Or, run a vocal through the reverb, and a snare through the echo. The snare echoes will only be heard between vocal phrases. T

**0.5 Bounce+ Rvb1** ADJUST: Eko Fbk 0-100  
The left input feeds a triplet echo that bounces between left and right as it repeats, the right feeds a stereo chamber. T

**0.6 Bounce+ Rvb2** ADJUST: Eko X-Fbk 0-100  
A variation with a simple eighth-note pattern echo rhythm. T

**0.7 Bounce+ Rvb3** ADJUST: Eko X-Fbk 0-100  
A variation with a swing feel. T

**0.8 Bounce+ Eko1** ADJUST: Bnce Fbk 0-100  
The left input feeds a sixteenth-note echo that bounces between left and right as it repeats, the right feeds a separate mono triplet echo. T

**0.9 Bounce+ Eko2** ADJUST: Eko Delay 0-100  
Provides a tap echo on the left input and an absolute-time echo on the right. T

**1.0 Bounce+ Eko3** ADJUST: Eko Slip 0-100  
Left and right inputs feed two independent delay lines. The left echo bounces between left and right, the right echo is set for the same rhythm as the left, but repeats in the center. T

**1.1 Bounce+ Eko4** ADJUST: Ekos/Beat 0-100  
A variation with the left echo bouncing between left and right with an eighth-note rhythm. The right echo is also rhythmic. T

**1.2 Bounce+ Eko5** ADJUST: FadeToPan 0-100  
A variation with the left input echoes bouncing between left and right, and the right input echoes repeating in the center. Both delay lines are set for the same rhythm. If you feed the same signal to both inputs, you'll notice that the first few repeats are in the center, then they begin to spread to the sides. T

**1.3 Tap Eko+Echo** ADJUST: DlyTimeR 0-127  
The PCM 80 Tape Echo preset and a tap tempo echo, each with stereo output. T

**1.4 PhoneInRoom** ADJUST: Phone Pan 0-100  
The left input feeds a speaker phone filter which is fed into a small room ambience, the right is fed directly into the room. ADJUST controls the location of the speaker phone in the room. Feed the signal for the speaker phone to the left input and the signal for people talking in the room to the right input.

**1.5 TV In Room** ADJUST: TV Pan 0-100  
The left input feeds a TV filter which is fed into a small room ambience, the right is fed directly into the room. ADJUST controls the location of the TV in the room. Feed the signal for the TV to the left input and the signal for the voices of the people watching the TV to the right input.

**1.6 Phone<>Room** ADJUST: Swap 0-100  
A phone filter variation that allows you to swap between a sound source in a room, and the sound source coming through a telephone. Click ADJUST from 0 to 1 to fade between listener and speaker, and from 1 to 0 to fade from speaker to listener again. AR Env controls the fade rates.

**1.7 Flange+Ghost** ADJUST: Depth 0-100  
The left input feeds a stereo flanger, the right feeds a reverse stereo reverb effect.

**1.8 S Flange + Rvb** ADJUST: Reel Brake 0-100  
The left input is processed with a stereo tape flanger, the right input with a large plate.

## PCM 80 Dual FX Presets

**1.9 Flange+Pit** ADJUST: Mid Rt 0-127  
The PCM 80 Flange>Rvb preset on the left with a medium sized plate on the right.

**2.0 AutoPan+Chmb** ADJUST: PanWidth 0-100  
The left input feeds a tempo-controlled stereo auto panner. The right input feeds a small stereo chamber reverb. T

**2.1 Slap + Kick** ADJUST: FX/RvbBal 0-48  
Made with snare drum in mind. The left input provides a single rhythmic slap. Set the rhythm via **Tap**, or by adjusting Delay Master. The right input feeds a stereo chamber optimized for kick drum. ADJUST balances the output levels of the two effects: 0=echo full, chamber -24dB ; 24=echo and chamber full, 48=echo -24dB, chamber full. T

**2.2 Chorus+Chmb** ADJUST: Mid Rt 0-127  
The PCM 80 Wet Chorus preset on the left with a small chamber on the right.

**2.3 LoPass+Chmb** ADJUST: CutOff 0-127  
A stereo lowpass filter on the left and a small stereo chamber on the right.

**2.4 HiPass+Chmb** ADJUST: CutOff 0-127  
A stereo highpass filter on the left and a small stereo chamber on the right.

**2.5 B.Pass+Chmb** ADJUST: Center 0-127  
A stereo bandpass filter on the left with a chamber on the right.

**2.6 B.Pass+Hall** ADJUST: Center 0-127  
A variation with a moderate sized Concert Hall produced from the right input.

**2.7 Tremolo+Chmb** ADJUST: Depth 0-127  
A stereo tap tempo tremolo on the left input with a stereo chamber on the right. T

**2.8 Tremolo+Pit** ADJUST: Depth 0-127  
A variation that combines the stereo tap tempo tremolo on the left input with a stereo plate on the right input. T

**2.9 Tremolo+Hall** ADJUST: Depth 0-127  
A variation that combines the stereo tap tempo tremolo on the left input with a stereo concert hall on the right input. T

### Dual Mono In/Mono Out

In presets 3.0-4.9 the left input feeds a Mono In/Mono Out 4-voice effect which is fed directly to the left output. The right input feeds a Mono In/Mono Out reverb which is fed directly to the right output. These presets can be used to provide two independent mono effects from a mono source, or to add mono processing to two different mono sources. *Not intended to be used with stereo source material.*

**3.0 L dks R Lvl** ADJUST: Duck dB 0-24  
The left input acts as a "key" input. No audio is passed from the left input to the left output. The right input is passed to the right output only. The right signal level is ducked whenever audio is detected in the left input.

**3.1 L dks R Eq** ADJUST: Duck dB 0-24  
A variation with the right channel slightly EQ'd.

**3.2 L dks R HiFc** ADJUST: Hi Duck 0-100  
The high frequency content of the right signal is ducked when signal is detected at the left input.

**3.3 L dks R LoFc** ADJUST: Hi Duck 0-100  
The low frequency content of the right signal is ducked when signal is detected at the left input.

**3.4 L dks R Band** ADJUST: Duck Band 0-10  
The frequency band in the right signal is ducked when signal is detected at the left input.

**3.5 Slap / Kick** ADJUST: FX/Rvb Bal 0-48  
The left input feeds a mono 15ips slap delay. The right feeds a mono kick drum reverb. T

**3.6 Phone X-Fade** ADJUST: X-Fade 0-100  
A variation of PhoneIn Room with automatic crossfade between the phone filtered left input and the unprocessed right input.

**3.7 ToneL/PlateR** ADJUST: Rvb Out 0-127  
The left input drives a resonator to produce a bass tone. The right input feeds a plate reverb. T

**3.8 Phone / Room** ADJUST: PhoneFutz 0-35  
A variable phone filter on the left, a medium room on the right.

**3.9 TV / Room** ADJUST: TVFutz 0-35  
A variable TV filter on the left, a small dark room on the right.

**4.0 Organ/Room 1** ADJUST: Slow/Fast 0-1  
A mono rotary speaker on the left, a medium room on the right.

**4.1 Organ/Room 2** ADJUST: Slow/Fast 0-1  
A mono rotary speaker on the left, a large room on the right.

**4.2 M Flange/Rvb** ADJUST: Reel Brake 0-100  
A mono tape flanger on the left, a medium plate on the right.

**4.3 TapEko/Gate** ADJUST: Feedback 0-100  
A mono tap echo on the left, a gated reverb on the right. T

**4.4 Eko15/Plate** ADJUST: Feedback 0-100  
The left input feeds a 15ips tape echo simulation. The right input feeds a drum plate.

**4.5 V Eko1/ Rvb** ADJUST: TapeSpeed 0-100  
The left input feeds a varispeed tape echo simulation. The right input feeds a drum plate.

**4.6 V Eko2/Rvb** ADJUST: TapeSpeed 0-100  
The left input feeds a varispeed tape echo simulation with flanging. The right input feeds a drum plate.

**4.7 V Eko / Eko** ADJUST: TapeSpeed 0-100  
The left input feeds a varispeed tape echo simulation. The right input feeds an eighth-note echo. T

**4.8 EkoRise/Rvb** ADJUST: RiseSpeed 0-100  
The left input feeds a mono varispeed echo effect that changes rate when input stops. The echoes rise in pitch and rate as they fade away. The right input feeds a mono reverb.

**4.9 EkoRise/Eko** ADJUST: RiseSpeed 0-100  
The left input feeds a mono varispeed echo effect that changes rate when input stops. The echoes rise in pitch and rate as they fade away. The right input feeds a mono echo set to the same rate as the varispeed echo — but this one doesn't rise.

**2.6 TapeEko/Chmb** ADJUST: DarkKnob 0-127  
A variation with a mono chamber on the right channel. T

**2.7 TapeEko/Hall** ADJUST: DarkKnob 0-127  
A variation with a mono concert hall on the right channel. T

**2.8 Chorus/Chmb** ADJUST: Mid Rt 0-127  
The PCM 80 Wet Chorus preset with the addition of a mono version of the chorus on the left channel and a small mono chamber on the right channel.

**2.9 Chorus/Pit** ADJUST: Mid Rt 0-127  
A variation with a mono plate on the right channel.

**3.0 Chorus/Hall** ADJUST: Mid Rt 0-127  
A variation with a mono concert hall on the right channel.

**3.1 Flange/Chmb** ADJUST: Mid Rt 0-127  
The PCM 80 Flange>Rvb with a mono flanger on the left channel and a mono chamber on the right.

**3.2 Flange/Pit** ADJUST: Mid Rt 0-127  
A variation with a mono flanger on the left channel and a mono plate on the right.

**3.3 Flange/Hall** ADJUST: Mid Rt 0-127  
A variation with a mono flanger on the left channel and a mono concert hall on the right.

**3.4 TapEko/Echo** ADJUST: DlyTimeR 0-120  
Two mono effects: an eighth-note echo that can be controlled rhythmically with **Tap** on the left, a 1.2 second delay set with ADJUST on the right. T

**3.5 LoPass/Chmb** ADJUST: CutOff 0-127  
The PCM 80 StereoLoPass preset with a mono chamber on the right channel.

**3.6 LoPass/Plate** ADJUST: CutOff 0-127  
A variation with a mono plate on the right channel.

**3.7 LoPass/Hall** ADJUST: CutOff 0-127  
A variation with a mono concert hall on the right channel.

**3.8 HiPass/Chmb** ADJUST: CutOff 0-127  
A highpass filter on the left channel and a small chamber on the right channel.

**3.9 HiPass/Plate** ADJUST: CutOff 0-127  
A variation with a highpass filter on the left channel and a plate reverb on the right channel.

**4.0 HiPass/Hall** ADJUST: CutOff 0-127  
A variation with a highpass filter on the left channel and a concert hall on the right channel.

**4.1 B.Pass/Chmb** ADJUST: Center 0-127  
A sweepable bandpass filter on the left channel, and a mono chamber on the right channel.

**4.2 B.Pass/Plate** ADJUST: Center 0-127  
A sweepable bandpass filter on the left channel and a mono plate reverb on the right channel.

**4.3 B.Pass/Hall** ADJUST: Center 0-127  
A sweepable bandpass filter on the left channel and a mono concert hall on the right channel.

**4.4 Rotary/Chmb** ADJUST: Slow/Fast 0-1  
The PCM 80 RotorCabinet with a small chamber effect on the right and a rotary effect on the left.

**4.5 Rotary/Plate** ADJUST: Slow/Fast 0-1  
A variation with a plate reverb on the right channel.

**4.6 Rotary/Hall** ADJUST: Slow/Fast 0-1  
A variation with a concert hall on the right channel.

**4.7 Tremolo/Chmb** ADJUST: Depth 0-127  
Much like Rotary/Chmb, with a mono tremolo on the left and a mono chamber on the right. T

**4.8 Tremolo/Pit** ADJUST: Depth 0-127  
A variation with a mono plate on the right channel. T

**4.9 Tremolo/Hall** ADJUST: Depth 0-127  
A variation with a concert hall on the right channel. T

### Program Bank X4

#### Clean Slate Presets

Presets 0.0 – 2.4 are a "default" set of presets with no patches, and no Soft Row or FX-type parameters assigned. The reverb parameters emulate existing PCM 80 Programs as a starting point for quickly creating new presets. Tiled Room was used for all of the Chamber programs, Good oilPlate for the Plate programs, and Drum Gate for the Inverse programs. A new Infinite program was created with the Infinite parameter turned off. The voice levels of the 4-voice effects are set to off. All other parameters are set to nominal values.

0.0 NewBand-Chmb	1.3 NewChrs-Inf
0.1 NewBand-Pit	1.4 NewChrs-Inv
0.2 NewBand-Hall	1.5 NewRes1-Chmb
0.3 NewBand-Inf	1.6 NewRes1-Pit
0.4 NewBand-Inv	1.7 NewRes1-Hall
0.5 New Gld-Chmb	1.8 NewRes1-Inf
0.6 New Gld-Pit	1.9 NewRes1-Inv
0.7 New Gld-Hall	2.0 NewRes2-Chmb
0.8 New Gld-Inf	2.1 NewRes2-Pit
0.9 New Gld-Inv	2.2 NewRes2-Hall
1.0 NewChrs-Chmb	2.3 NewRes2-Inf
1.1 NewChrs-Pit	2.4 NewRes2-Inv
1.2 NewChrs-Hall	

### Dual Mono In/Mono Out

**2.5 TapeEcho/Pit** ADJUST: DarkKnob 0-127  
The PCM 80 preset Tape Echo (P1 2.1), with mono plate on the right channel. T

# Lexicon

3 Oak Park • Bedford MA 01730-1441 • Tel: 781 280-0300 • Fax: 781 280-0490 • www.lexicon.com

Lexicon Part No. 070-11144 Rev 1